

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A window type air conditioner, comprising:

a case ~~of which one side~~ of which is positioned ~~at on~~ an indoor side and another side of which is positioned ~~at on~~ an outdoor side;

~~an at least one indoor heat exchanger mounted inside the case positioned at on the indoor side thus to be heat-exchanged heat exchange with the indoor air;~~

an indoor cross flow fan ~~for generating that generates~~ a blowing force so that the indoor air ~~can pass-passes through the at least one indoor heat exchanger and for sucking that sucks and discharges the indoor air in a circumferential direction thereof and thereby discharging the indoor air in the circumferential direction thereof;~~

~~an at least one outdoor heat exchanger mounted inside the case positioned at on the outdoor side thus to be heat-exchanged heat exchange with the outdoor air, the at least one outdoor heat exchanger comprising first and second outdoor heat exchangers; and~~

an outdoor cross flow fan ~~for generating that generates~~ a blowing force so that the outdoor air ~~can pass-passes through the first and second outdoor heat exchanger-exchangers and~~

~~for sucking that sucks and discharges~~ the outdoor air in a circumferential direction thereof ~~and thereby discharging the outdoor air in the circumferential direction thereof;~~

a stabilizer that divides a suction side and a discharge side of the outdoor cross flow fan installed between the first outdoor heat exchanger and the second outdoor heat exchanger, wherein the outdoor cross flow fan comprises:

a hub arranged extending in a longitudinal direction of the first and second outdoor heat exchangers and connected to a driving motor, and

a plurality of blades provided on an outer circumferential surface of the hub with a certain interval therebetween and having a certain length.

2. (Currently Amended) The window type air conditioner of claim 1, ~~wherein further comprising a compressor for compressing that compresses~~ a refrigerant into a high temperature and a high pressure ~~is installed at-on~~ one side of the ~~at least one~~ outdoor heat exchanger, and ~~wherein the compressor comprises a horizontal type compressor that that includes a driving unit device and a refrigerant compression unit are device horizontally arranged-is applied as the~~ compressor.

3. (Currently Amended) The window type air conditioner of claim 1, ~~wherein further comprising:~~

an indoor air suction port ~~for sucking through which~~ the indoor air is sucked into the air conditioner formed ~~at the on a front side surface~~ of the case positioned ~~at on~~ the indoor side[[,]]; and

an indoor air discharge port ~~through which for discharging~~ the indoor air is discharged from the air conditioner formed ~~at the on an~~ upper surface of the case positioned ~~at on~~ the indoor side.

4. (Currently Amended) The window type air conditioner of claim 3, wherein the indoor air suction port ~~has a size that occupies up~~ is substantially the same size as the front surface of the case.

5. (Currently Amended) The window type air conditioner of claim 4, wherein the ~~at least one~~ indoor heat exchanger is vertically arranged adjacent to and inside the indoor air suction port.

6. (Currently Amended) The window type air conditioner of claim 1, wherein the indoor cross flow fan ~~is composed of~~ comprises:

a hub arranged extending in a longitudinal direction of the at least one indoor heat exchanger and connected to ~~the a~~ driving motor; and

a plurality of blades formed at ~~the~~provided on an outer circumferential surface of the hub with a certain interval ~~therebetween~~ and arranged extending in ~~a the~~ longitudinal direction of the at least one indoor heat exchanger.

7. (Currently Amended) The window type air conditioner of claim 6, ~~wherein further comprising:~~

a guide panel ~~for guiding that guides~~ the indoor air sucked in ~~through an the~~ indoor air suction port to an indoor air discharge port, ~~is installed at on~~ one side of the indoor cross flow fan[[,]]; and

a stabilizer ~~for dividing that divides~~ a suction side and a discharge side of the indoor cross flow fan ~~is installed at one side of the case.~~

8. (Original) The window type air conditioner of claim 1, ~~wherein further comprising:~~

an outdoor air suction port ~~for sucking that sucks~~ the outdoor air ~~is into the air conditioner~~ formed ~~at the in a~~ rear surface of the case positioned ~~at on~~ the outdoor side; and

an outdoor air discharge port ~~for discharging that discharges~~ the outdoor air ~~is from the air conditioner~~ formed ~~at the in an~~ upper surface of the case positioned ~~at on~~ the outdoor side.

9. (Currently Amended) The window type air conditioner of claim 8, wherein the outdoor air suction port ~~has a size that occupies up to~~ is substantially the same size as the rear surface of the case.

10. (Currently Amended) The window type air conditioner of claim 8, wherein the ~~outdoor heat exchanger is composed of:~~

[[a]] first outdoor heat exchanger is installed adjacent to and inside the outdoor air suction port ~~thus to be heat-exchanged~~ heat exchange with the outdoor air sucked in through the outdoor air suction port, ~~and a~~ the second outdoor heat exchanger is installed adjacent to and inside the outdoor air discharge port ~~thus to be heat-exchanged~~ heat exchange with the outdoor air discharged ~~to through~~ the outdoor air discharge port.

11. (Currently Amended) The window type air conditioner of claim 10, wherein the first outdoor heat exchanger is ~~vertically arranged~~ to extend vertically inside the outdoor air suction port, and the second outdoor heat exchanger is ~~horizontally arranged~~ to extend horizontally inside the outdoor air discharge port.

12. (Canceled).

13. (Currently Amended) The window type air conditioner of claim 6 ~~8~~, wherein further comprising:

~~a stabilizer for dividing a suction side and a discharge side of the outdoor cross flow fan is installed between the first outdoor heat exchanger and the second outdoor heat exchanger; and~~

a guide panel ~~for guiding that guides~~ the indoor air sucked in ~~through~~ the outdoor air suction port to the outdoor air discharge port is installed ~~at on~~ one side of the outdoor cross flow fan.

14. (Currently Amended) The window type air conditioner of claim ~~12~~ 1, wherein the ~~blade plurality of blades~~ of the outdoor cross flow fan ~~is in contact~~ contact with ~~condensing condensed~~ water stored ~~at the in a lower surface portion~~ of the case positioned ~~at on~~ the outdoor side, thereby ~~to spray spraying~~ the ~~condensing condensed~~ water when the outdoor cross flow fan is rotated.

15.-19. (Canceled).